

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

APRILIA									
APR. Caponord ETV 1000	ZD4/PS	01>	9932.0279.A		17.01.V8.08	17.01.V9.08	/02	361-371	365
APR.MOTO 6.5	MH00	96>	9932.0102.B						
APR.Pegaso 650 III (Marz.upsd)	ML	96>	9932.0091.B						
APR. RS 125 Extrema/SP		93>			17.01.N8.02	17.01.N9.02		276-286	
APR. RS 250 Race Replica (1 spring)	LD01	95-97	9932.0228.A						
APR. RSV 250 RACE	LDA1	98>	9932.0248.A						
APR. RSV 1000 Mille	ZD4/2D4	99-00	9932.0272.B	17.01.T7.03		17.01.T9.03		321-331	
APR.RSV 1000 Mille		01-02	9932.0272.B	17.01.X7.06		17.01.X9.06		316-326	
APR.RSV 1000 Mille COMP'05		04>	Range	15.01.Y7.06/03 15.01.Y7.06/04					
APR. SL 1000 Falco	PA	99>	9932.0272.A	17.01.T7.04		17.01.T9.04	/02	313-323	
BIMOTA									
BIMOTA DB 1 (41,7M1R)	DB1		9932.0100.G						
BIMOTA DB 2	DB2		9932.0187.H						
BIMOTA DIECE YP8	YB8	91>	9602.0006.A						
BMW									
BMW C1 TS#	192A	02-03				17.06.W9.01		366-376	
BMW F650	169	94>	9932.0205.A		17.06.O8.02	17.06.O9.02	/02	315-325	
BMW F650 Strada	163	97-01	9932.0205.B						
BMW F650 GS	R13	00>	9932.0115.B		17.06.U8.06	17.06.U9.06	/02	316-326	
BMW F650 GS Dakar	R13	00>	9932.0115.C		17.06.U8.08	17.06.U9.08	/02	326-336	
BMW F650 CS	174	02>	9932.0115.D		17.06.W8.04	17.06.W9.04		300-310	
BMW F800 / S		06>	9932.0308.A		17.06.8B.82	17.06.9B.82	/02	342-352	
BMW F800 / S SHORT		06>	9932.0308.A		17.06.8B.83	17.06.9B.83	/02	331-341	
BMW HP11 Enduro		05>	9931.0051.A						
BMW HP11 Street		05>	9932.0311.A						
BMW HP11 Supermotard		05>	9932.0312.A						

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
BMW K 75 C	75C	86>	9932.0220.B	17.06.E7.22		17.06.E9.22	/02	356-366	
BMW K 75 RT	75	83-91	9932.0116.A	17.06.E7.22		17.06.E9.22	/02	356-366	
BMW K 75 RT/S	75	90-91	9932.0108.A	17.06.E7.22		17.06.E9.22	/02	356-366	
BMW K 75 RT/S (Showa 41 mm)	75	92>	9932.0093.D	17.06.E7.22		17.06.E9.22	/02	356-366	
BMW K 75 S	75	83>	9932.0116.A			17.06.E9.21		343	
BMW K1	100	89-90	9932.0073.A	17.06.J7.10		17.06.J9.10		383-393	
BMW K1 (Cartridge Frontfork)	100	91>	9932.0192.B	17.06.J7.10		17.06.J9.10		383-393	
BMW K1 ( ABS)	100	89-90	9932.0073.A			17.06.J9.10		383-393	
BMW K1 (ABS)	100	91>	9932.0192.B			17.06.J9.10		383-393	
BMW K100	100	83>	9932.0220.C	17.06.E7.22		17.06.E9.22		356-366	
BMW K100 LT/RT	100	83>	9932.0108.C	17.06.E7.22		17.06.E9.22		356-366	
BMW K100 RS 16 Valve	100	90>	9932.0192.C	17.06.K7.12		17.06.K9.12	/02	377-387	
BMW K100 RS	100	83-89	9932.0108.B	17.06.E7.22		17.06.E9.22		356-366	
BMW K100 RS Sport	100	83-89	9932.0108.B			17.06.E9.21		344	
BMW K75/100 L348 (ALL MOD)	75/100	83>	9932.0116.A						
BMW K1100 LT	100	92>	9932.0192.A	17.06.K7.12		17.06.K9.12		377-387	
BMW K1100 RS	100	92-95	9932.0192.A	17.06.N7.14		17.06.N9.14		380-390	
BMW K1200 R (REAR)		05>			17.06.8A.78	17.06.9A.78	/02		
BMW K1200 R (FRONT)		05>				17.06.9A.79			
BMW K1200 S (REAR)		05>			17.06.8A.76	17.06.9A.76	/02		
BMW K1200 S (FRONT)		05>				17.06.9A.77			
BMW K1200 RS (REAR)	589	97>			17.06.R8.18	17.06.R9.18	/02	354-364	
BMW K1200 RS (FRONT)	589	97>				17.06.R9.20		314-324	
BMW K1200 LT (REAR)	105	99-03				17.06.U9.16	/02	398-408	
BMW K1200 LT (FRONT)	105	99-03				17.06.U9.17		318-328	
BMW K1200 LT (REAR)		04>				17.06.Y9.74	/02	398-408	
BMW K1200 LT (FRONT)		04>				17.06.Y9.75		318-328	
BMW K1200 GT (REAR)	WB105	03>			17.06.X8.72	17.06.X9.72	/02	351-361	354
BMW K1200 GT (FRONT)	WB105	03>				17.06.X9.73		313-323	318
BMW K1200 LT (REAR)		04>				under constr.			

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
BMW K1200 LT (FRONT)		04>				under constr.			
BMW R 45 N TS#	248A	78-85	9932.0017.B						
BMW R 50/60/75/80/90/100 TS#		87<	9932.0023.A			17.06.A9.55		335-345	
BMW R 65 G/S	248	87<	9932.0023.B	17.06.D7.61		17.06.D9.61	/02	361-371	
BMW R65/R80 (Einarm)	248	85>	9932.0069.C		17.06.F8.59	17.06.F9.59		412-422	
BMW R 65 RT (Einarm)	248	85>	9932.0070.A		17.06.F8.59	17.06.F9.59		412-422	
BMW R 75	5	71>	9932.0212.H						
BMW R 80 G/S	247E	87<	9932.0023.B	17.06.D7.61		17.06.D9.61	/02	361-371	
BMW R 80 G/S Spec.Rally	247E	87<	9932.0023.B	17.06.D7.57		17.06.D9.57		360	
BMW R 80/100 RS/RT (Einarm)	247E	85>	9932.0070.A		17.06.F8.59	17.06.F9.59		412-422	
BMW R 80 ST	247E	83>	9932.0017.B	17.06.D7.71		17.06.D9.71		345-355	
BMW R 80/100 GS Paris Dakar HARD	247E	88>	9932.0188.A	17.06.M7.64		17.06.M9.64	/02	490-500	
BMW R 80/100 GS Paralever	247E	88-91	9932.0102.A	17.06.M7.64		17.06.M9.64	/02	490-500	
BMW R 80/100 R Paralever	247E	92>	9932.0162.A	17.06.M7.24		17.06.M9.24		468-478	
BMW R100 GS PARIS DAKAR		89>	9932.0103.A						
BMW R100 +RT/RS		88>	9932.0069.A						
BMW R 850/1100 R/RS ( REAR)	259	93>			17.06.P8.67	17.06.P9.67		356-366	
BMW R 850/1100 R/RS ( FRONT)	259	93>		17.06.P7.65		17.06.P9.65		319	
BMW R1100 S (REAR)	WB104	99-05		17.06.T7.33		17.06.T9.33	/02	308-318	
BMW R1100 S (FRONT)	WB104	99-05		17.06.T7.34		17.06.T9.34		316-326	
BMW R1100 S (REAR) BoxerCup Replica		03>		17.06.X7.80		17.06.X9.80	/02	326-336	
BMW R1100 S (FRONT) BoxerCup Replica		03>		17.06.X7.81		17.06.X9.81		326-336	
BMW R1100 GS (REAR)	259	94>			17.06.O8.27	17.06.O9.27	/02	379-389	
BMW R1100 GS (FRONT)	259	94>		17.06.O7.29		17.06.O9.29		334	
BMW R1100 RT (REAR)	259	95>			17.06.P8.67	17.06.P9.67	/02	356-366	
BMW R1100 RT (FRONT)	259	95>		17.06.P7.31		17.06.P9.31		327-337	
BMW R1150 GS (FRONT)		99>				17.06.T9.37		334	332
BMW R1150 GS		99>			17.06.T8.35	17.06.T9.35	/02	385-395	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber	
BMW R1150GS Adv. FRONT	R21	02-05		17.06.W7.38		17.06.W9.38		341	343	
BMW R1150GS Adv. REAR	R21	02-05			17.06.W8.39	17.06.W9.39	/02	389-399	390	
BMW R1150 R (FRONT)	104	01>		17.06.V7.44		17.06.V9.44		325		
BMW R1150 R (REAR)	104	01>			17.06.V8.42	17.06.V9.42	/02	362-372		
BMW R1150 RS (FRONT)		02>		17.06.W7.48		17.06.W9.48		316	316	
BMW R1150 RS (REAR)		02>			17.06.W8.46	17.06.W9.46	/02	362-372	364	
BMW R1150 RT (FRONT)		01>		17.06.V7.52		17.06.V9.52		330	330	
BMW R1150 RT (REAR)		01>			17.06.V8.50	17.06.V9.50	/02	362-372	364	
BMW R1200 C (REAR)	259C	98>		17.06.S7.54		17.06.S9.54		325-335		
BMW R1200 C (FRONT)	259C	98>				17.06.S9.55		320-330		
BMW R1200 GS (REAR)		04>		17.06.Y7.69		17.06.Y9.69	/02	399-409	401	
BMW R1200 GS (FRONT)		04>		17.06.Y7.70		17.06.Y9.70		336-346	339	
BMW R1200GS Adv. FRONT	WB1038	06>		17.06.7B.86		17.06.9B.86		350	350	
BMW R1200GS Adv. REAR	WB1038	06>			17.06.W8.39	17.06.W9.39	/02	389-399	390	
BMW R1200 S (REAR)	WB103	06>		17.06.7B.84		17.06.9B.84	/02	355-365	357	
BMW R1200 S (FRONT)	WB103	06>		17.06.7B.85		17.06.9B.85		291-301	295	
<b>BUELL</b>										
BUELL LIGHTNING XB9S	XB1	05>	9932.0199.D			17.49.Y8.01	17.49.Y9.01		357-367	357
BUELL LIGHTNING XB12S	XB1	05>	9932.0199.D			17.49.Y8.01	17.49.Y9.01		357-367	357
BUELL FIREBOLT XB9R	XB1	05>	9932.0199.D			17.49.Y8.01	17.49.Y9.01		357-367	357
BUELL FIREBOLT XB12R	XB1	05>	9932.0199.D			17.49.Y8.01	17.49.Y9.01		357-367	357
BUELL ULYSSES XB12X	DX03	06>	9932.0314.A			17.49.8B.02	17.49.9B.02	/02	372-382	376
BUELL ULYSSES XB12X LOW	DX03	06>	9932.0314.A			17.49.8B.03	17.49.9B.03	/02	351-361	376

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

CAGIVA									
CAGIVA RAPTOR 1000	M2	00>	9932.0219.B						
CAGIVA 125 FRECCIA	5PE	89>	9932.0039.A						
DUCATI									
DUC.400 SS (Showa)		91-94	9932.0126.F						
DUC.600 SS (Marz.UPSD)	S	94>	9931.0017.A			17.09.P9.01		328-338	
DUC.748/SP (Showa UPSD)	ZDM748S	94-99	9932.0219.A	17.09.P7.02		17.09.P9.02		311-321	
DUC.748/SP (Showa UPSD)	ZDM748S	94-99	9932.0219.A	17.09.P7.02		17.09.P9.02		311-321	
DUC.748/ S/ R		00-02		17.09.U7.03		17.09.U9.03	/02	301-311	
DUC.749 S		03>	9932.0219.C	17.09.X7.04		17.09.X9.04		301-311	
DUC.749 S	Comp'05	06>	Range	15.09.7B.09/01 15.09.7B.09/02					
DUC.750 Sport		88-90	9932.0106.F						
DUC.750 SS (Showa UPSD)	ZDM750SC	91-94	9932.0126.C	17.09.L7.05		17.09.L9.05	/02	327-337	
DUC.750 SS (Marz. UPSD)	ZDM750SC	95>	9602.0003.B			17.09.P9.01	/02	327-337	
DUC.851 Strada (Marz.42M1R)	ZDM851S1	88-89	9932.0082.B						
DUC.851 Strada (Showa UPSD)	ZDM851S3	90-92	9932.0187.F						
DUC.888 SP5 /Superbike (Ohlins)	ZDM888S1	91>	9932.0187.G						
DUC.888 Strada (Showa UPSD)	ZDM888S	93>	9932.0187.G						
DUC.900 SS	ZDM900S	88<	9932.0003.A						
DUC. 900 SS	ZDM906SC	89-90	9932.0106.E						
DUC. 900 SS	ZDM906C2	91-95	9932.0187.C						
DUC.900 SS	ZDMV100	96-97	9932.0126.H	17.09.P7.07		17.09.P9.07		338-348	
DUC.900 SS	ZDMV100	98>	9932.0276.A	17.09.S7.09		17.09.S9.09		335-345	
DUC.907 Paso I.E.	ZDM906PI2	92>	9932.0155.B						
DUC.916 Strada (Showa UPSD)	ZDM916S	94-99	9932.0219.A	17.09.P7.02		17.09.P9.02		311-321	
DUC.996 SPS		00-02		17.09.U7.10		17.09.U9.10		301-311	
DUC.999 S		03>	9932.0219.C	17.09.X7.11		17.09.X9.11		301-311	
DUC.999 S	Comp'05	06>	Range	15.09.7B.10/01 15.09.7B.10/02					
DUC.M 600 (Showa/Marz. UPSD)	ZDM600	94>	9602.0005.C		17.09.N8.12	17.09.N9.12	/02	331-341	
DUC.M 750 (Showa UPSD)	ZDMM100	95-96	9932.0126.G		17.09.N8.12	17.09.N9.12	/02	331-341	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
DUC.M 750 (Marz.UPSD)	M100AA	97>	9602.0005.D		17.09.N8.12	17.09.N9.12	/02	331-341	
DUC.M 900 (Showa UPSD)	ZDM900M	93-96	9932.0126.C		17.09.N8.12	17.09.N9.12	/02	331-341	
DUC.M 900 (Marz. UPSD)	ZDM900M	97>			17.09.N8.12	17.09.N9.12	/02	331-341	
DUC.916 Monster S4	ZDMM460	01>			17.09.V8.16	17.09.V9.16		305-315	306
DUC. ST-4	S200AA	99>			17.09.T8.14	17.09.T9.14	/02	306	305
<b>HARLEY-DAVIDSON</b>									
HARLEY DAV. 11.5" TS#					17.48.J7.01			295	
HARLEY DAV. 12.5" TS#					17.48.J7.02			320	
HARLEY DAV. 13.0" TS#					17.48.J7.06			331	
HARLEY DAV. 13.5" TS#					17.48.J7.03			340	
HARLEY DAV. 14.25" TS#					17.48.J7.04			359-369	
HARLEY DAV. 15.0" TS#					17.48.J7.05			378-388	
HARLEY DAV.XLH 883 HUGGER TS#	XL/2	88-91	9932.0074C						
HARLEY DAV.XLH 883 SPORTSTER TS#	XL/2	88>	9932.0074C						
HARLEY DAV.XLH 1200 SPORTSTER TS#	XL/2	88-94	9932.0074C						
HARLEY DAV.883R Sport Cup TS#			9932.0069.B						
HARLEY DAV.V-ROD VRSCA/B TS#	HBZ17	04>	9932.0268.B		17.48.Y7.11		17.48.Y9.11	325-335	329
HARLEY DAV.STREET-ROD VRSCR TS#		05>			17.48.7A.12		17.48.9A.12	395-405	400
<b>HONDA</b>									
HO.CB 250 (Japan)	CB250T	93>	9932.0236.A						
HO.CB 400 N	CB400T	78>	9932.0003.D						
HO.CB 400 Super Four TS#	NC31	92>	9932.0172.A		17.14.M7.07		17.14.M9.07	326-336	
HO.CB-1(CB 400 F)	NC27	89>	9932.0137.B			17.14.K8.17	17.14.K9.17	309-319	
HO.CB 450 N/S	PC14/17	85>	9932.0043.A						
HO.CB 500 S TS#	PC26/32	93-99	9932.0198.A				17.14.09.04	348	
HO.CB 500 S TS#		00>			17.14.U7.08		17.14.U9.08	378-388	
HO.CB 550 F1/2 Four in One	CB550F	76-77	9932.0008.A						
HO.CB 550 K3	CB550K	78>	9932.0008.E						

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
HO.CB 600 F Hornet	PC34	98>02<	9932.0251.A		17.14.S8.09	17.14.S9.09		299-309	
HO.CB 600 SF Hornet	PC 36	03-04	9932.0250.D		17.14.S8.09	17.14.S9.09		299-309	
HO.CB 600 SF Hornet	PC 36A	05>06<	9932.0294.B		17.14.8A.98	17.14.9A.98		297-307	302
HO.CB 600 SF Hornet		07>	in progress			in progress			
HO.CBF 600	PC 38	04>	9932.0250.E		17.14.Y8.99	17.14.Y9.99		288-298	293
HO.CBF 1000		07>	in progress			in progress			
HO.CB 650 A/B	RC03	81>	9932.0013.A						
HO.CB 750 Custom			9932.0008.H						
HO.CB 750 F1 Four in One TS#	CB750F	77-78	9932.0008.G						
HO.CB 750 FB TS#	RC04	81>	9932.0013.C						
HO.CB 750 K0-K7	CB750K	71>	9932.0008.B						
HO.CB 750 KZ	RC01	79>	9932.0013.B						
HO.CB 750 Seven Fifty TS#	RC42	93>	9932.0244.C	17.14.N7.12		17.14.N9.12		358	
HO.CB 750 Nighthawk			9932.0093.F						
HO.CB 900 FA Bold'Or (DU=35) TS#	SC01	80	9932.0012.A	17.14.D7.15		17.14.D9.15		363-373	
HO.CB 900 FB Bold'Or (DU=37) TS#	SC01	81	9932.0035.A	17.14.D7.15		17.14.D9.15		363-373	
HO.CB 900 FC Bold'Or (DU=39) TS#	SC09	82	9932.0078.A	17.14.D7.15		17.14.D9.15		363-373	
HO.CB 900 F	SC48	02>	9932.0284.A		17.14.W8.13	17.14.W9.13		281-291	
HO.CB 1000 Super Four TS#	SC30	92>	9932.0191.A	17.14.M7.05		17.14.M9.05		352-362	
HO.CB 1100 F		85>	9932.0083.B						
HO.CB 1100 RD	SC08	83>	9932.0093.E						
HO.CB 1300 TS#	SC40	98>	9932.0256.A	17.14.S7.06		17.14.S9.06		308-318	
HO.CBR 400 RR	NC23	89-91	9932.0229.C						
HO.CBR 400 RR	NC29	92>	9932.0128.C		17.14.J8.23			290-300	
HO.CBR 600 F/R Hurricane	PC19/23	87-90	9932.0071.A		17.14.H8.30	17.14.H9.30		291-301	
HO.CBR 600 F	PC25	91-92	9932.0139.D	17.14.N7.26		17.14.N9.26		293-303	
HO.CBR 600 F	PC25	93-94	9932.0139.A	17.14.N7.26		17.14.N9.26		293-303	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

HO.CBR 600 F	PC31	95-96	9932.0229.D		17.14.P8.27	17.14.P9.27		283-293	
HO.CBR 600 F	PC31	97-98	9602.0020.C		17.14.P8.27	17.14.P9.27		283-293	
HO.CBR 600 F	PC35	99-00	9932.0259.A	17.14.T7.29		17.14.T9.29	/02	307-317	
HO.CBR 600 F		01-02		17.14.V7.24		17.14.V9.24	/02	277	
HO.CBR 600 RR	PC37	03-04	9932.0296.A		17.14.X8.31	17.14.X9.31		302-312	
HO.CBR 600 RR	PC37A	05>	9932.0299.A	17.14.7A.94		17.14.9A.94	/02		
HO.CBR 900 RR Fireblade	SC33	96-97	9932.0193.C	17.14.Q7.37		17.14.Q9.37		304-314	
HO.CBR 900 RR Fireblade	SC33	98-99	9932.0193.B	17.14.S7.34		17.14.S9.34		303-313	
HO.CBR 900 RR Fireblade	SC33	00-01	9932.0265.A	17.14.U7.32		17.14.U9.32		280-290	
HO.CBR 900 RR 2 Fireblade	SC50	02-03	9932.0234.B	17.14.W7.33		17.14.W9.33		280-290	
HO.CBR 1000 F/R HUR.	SC21	87-90	9932.0130.A		17.14.H8.19	17.14.H9.19	/02	298-308	
HO.CBR 1000 F	SC24	89-92	9932.0174.A		17.14.H8.19	17.14.H9.19	/02	298-308	
HO.CBR 1000 F (Dual Brakesystem)	SC24	93>	9932.0201.A		17.14.H8.19	17.14.H9.19	/02	298-308	
HO.CBR 1000 RR Fireblade		04>	9932.0300.A	17.14.Y7.95		17.14.Y9.95	/02		
HO.CBR 1100 XX Super- Blackbird	SC35	97>	9932-0282.A		17.14.R8.21	17.14.R9.21	/02	322-332	
HO.CBX 550 F/F2	PC04	82>	9932.0044.A			17.14.A9.39		268-278	
HO.CBX 750 F	RC17	84>	9932.0084.A		17.14.E8.41	17.14.E9.41		305-315	
HO.CBX (6-Cyl.) (DU=35) TS#	CB1	79>		17.14.D7.15		17.14.D9.15		363-373	
HO.CBX 1000 C	SC06	81>				17.14.C9.40		286-296	
HO.CX 500 E	PC06	83	9932.0048.D			17.14.G9.43		287-297	
HO.CX 500 Z	CX500	79	9932.0001.A						
HO.CX 500 B	CX500	81-82	9932.0002.A			17.14.G9.43		287-297	
HO.CX 500 Turbo	PC03	83>	9932.0055.K			17.14.G9.43		287-297	
HO.CX 650 Turbo	RC16	83>	9932.0055.K			17.14.G9.43		287-297	
HO.GB 500 Clubman	PC16	89>	9932.0175.A						
HO.GL 500 Silverwing	PC02	82>	9932.0008.F						
HO.GL 650 D Silverwing	RC10	82>	9932.0008.F						
HO.GL 1000 K1-K3 Goldwing	GL1/2	75-76	9932.0045.A						
HO.GL 1100 Interstate TS#	SC02	81>	9932.0083.A						
HO.GL 1200 DX	SC14	84>	9932.0115.A						
HO.GL 1500 Goldwing	SC22	88-92	9932.0113.C						

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

HO.GL 1500 Goldwing	SC22	93>	9932.0113.C			17.14.N9.44		339	
HO.F6C	SC34	97>	9932.0193.D	17.14.R7.93		17.14.R9.93	/02	326	325
HO.NS 400 RF	NC19	85>	9932.0065.C						
HO.NT 600/650 Hawk-GT/Bros	RC31	88>	9932.0129.A			17.14.J9.45	/02	308-318	
HO.NT 650V Deauville	RC47	98>05<	9932.0128.F			17.14.S9.46	/02	301-311	
HO.NT 700 V Deauville	RC52	06>	Under constr.		Under constr.	Under constr.			
HO.NTV 650 Revere	RC33	88>	9932.0137.A			17.14.J9.47	/02	296-306	
HO.NX 250	MD21/25	88>	9932.0079.A			17.14.I9.48		320-330	
HO.NX 650 Dominator	RD02	88-94	9932.0135.A			17.14.J9.49		343-353	
HO.NX 650 Dominator	RD08	95>	9932.0130.G		17.14.P8.50	17.14.P9.50		371-381	
HO.PC 800 Pacific Coast TS#	RC34	88>	9932.0201.B						
HO.SLR 650	RD09	97>	9932.0131.B			17.14.R9.52		345-355	
HO.SLR 650 (LOW +/- 70 mm)	RD09	97>	9932.0131.B						
HO.ST 1100 Pan European	SC26	91-95	9932.0185.A			17.14.L9.53	/02	340-350	
HO.ST 1100 Pan European (ABS)	SC26	91-95	9932.0203.A			17.14.L9.53	/02	340-350	
HO.ST 1100 Pan European (MAJ)	SC26	96-98	9932.0203.B			17.14.T9.54		340-350	
HO.ST 1100 Pan European	SC26	99-01	9932.0203.C			17.14.T9.54		340-350	
HO.ST 1300 Pan European	SC51	02>	9932.0270.B		17.14.W8.90	17.14.W9.90	/02	326-336	326
HO.VF 700 C Magna	RC28	87	9932.0092.E						
HO.VF 700/750 F/Interceptor	RC15	83-84	9932.0097.A						
HO.VF 750 C	RC09	82-84	9932.0058.D						
HO.VF 750 C	RC09	92<	9932.0055.I						
HO.VF 750 C	RC43	93>	9932.0130.D						
HO.VF 1000 F/F2	SC15	84>	9932.0118.A			17.14.F9.58		405-415	
HO.VF 1000 R	SC16	86>	9932.0118.A			17.14.F9.57	/02	400-410	
HO.VF 1100 Sabre ( V 65 S )			9932.0108.D						
HO.VFR 400	NC21	87	9932.0074.E						
HO.VFR 400 R	NC30	89-91	9932.0128.E		17.14.J8.59	17.14.J9.59		303-313	
HO.VFR 400 R (Frontfork.reb.adj.)	NC30	91>	9602.0005.B		17.14.J8.59	17.14.J9.59		303-313	
HO.VFR 700/750 F	RC24	86-87	9932.0072.A			17.14.G9.62		269-279	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
HO.VFR 700 F	RC21	86-87	9932.0069.D						
HO.VFR 750 F	RC24	86-87	9932.0069.E						
HO.VFR 700/750 F	RC24	88-89	9932.0220.G			17.14.H9.61		278-288	
HO.VFR 750 F	RC36	90-91	9932.0113.A		17.14.K8.63	17.14.K9.63	/02	347-357	
HO.VFR 750 F	RC36	92-93	9932.0128.D		17.14.K8.63	17.14.K9.63	/02	347-357	
HO.VFR 750 F	RC36	94-97	9932.0213.A		17.14.O8.65	17.14.O9.65	/02	320-330	
HO.VFR 750 R	RC30	88>	9932.0148.A						
HO.VFR 800 FI	RC42	98-01	9932.0250.A		17.14.S8.69	17.14.S9.69	/02	326-336	
HO.VFR 800	RC46	02>	9932.0286.A		17.14.W8.67	17.14.W9.67	/02	314-324	
HO.VT 500 E	PC11	83>	9932.0055.L						
HO.VT 600 C Shadow	PC21	88>	9932.0092.F			17.14.I9.71		365-375	
HO.VT 700 C	RC19	86>	9932.0097.C						
HO.VT 750 C	RC44	97>	9932.0118.B						
HO.VT 1100 Shadow	SC12	85-86	9932.0112.C						
HO.VT 1100 Shadow TS#	SC23/SC18	87>	9932.0188.B						
HO.VTR 1000 F Firestorm	SC36	97>	9932.0252.A		17.14.R8.72	17.14.R9.72	/02	347-357	
HO.VTR 1000 SP I / II	SC45	00>	9932.0270.A	17.14.U7.74		17.14.U9.74		321-331	
HO.XBR 500 (S)	PC15	85>	9932.0046.D						
HO.XL 250 RG	MD11	86>	9932.0034.A						
HO.XL 500 R	PD02	82>	9931.0003.A						
HO.XL 600 R/RD/RE	PD03	83-84	9931.0005.A						
HO.XL 600 LM/RM	PD04	86>	9932.0134.A						
HO.XL 600 V Transalp	PD06	87-88	9932.0132.A						
HO.XL 600 V Transalp	PD06	89-93	9932.0132.A			17.14.J9.77		373-383	
HO.XL 600 V Transalp	PD06	87-90	9932.0130.F			17.14.J9.77		373-383	
HO.XL 600 V Transalp	PD06/10	94-99	9932.0130.K			17.14.J9.77		373-383	
HO.XL 650 V Transalp	RD10A	00>	9932.0130.H	17.14.V7.80		17.14.V9.80	/02	313-323	
HO.XL 1000 V Varadero	YR19	99-02	9932.0260.A		17.14.T8.75	17.14.T9.75	/02	338-348	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
HO.XL 1000 V Varadero		03>	9932.0260.C		17.14.X8.91	17.14.X9.91	/02	330-340	332
HO.XR 250 RJ/RK	ME06	88-90	9932.0131.A						
HO.XR 250 R		91-95	9601.0026.A						
HO.XR 400 R		96>		17.14.Q7.81		17.14.Q9.81		392-402	
HO.XR 600 RF/RG	PE04	85-86	9931.0010.B						
HO.XR 600 RH	PE04	87	9931.0009.A						
HO.XR 600 RJ	PE04	88	9931.0009.A						
HO.XR 600 RK	PE04	89-90	9931.0009.A						
HO.XR 600 R	PE04	91-93	9931.0015.A						
HO.XR 600 R		94>	9931.0015.A	17.14.O7.82		17.14.O9.82		378-388	
HO.XR 650 R	RE01	00>	9931.0039.A						
HO.XRV 650 Africa Twin	RD03	88-92	9932.0167.C		17.14.J8.84	17.14.J9.84	/02	372-382	
HO.XRV 750 Africa Twin	RD04	88-92	9932.0167.C		17.14.J8.84	17.14.J9.84	/02	372-382	
HO.XRV 750 Africa Twin	RD07	93>	9932.0167.C		17.14.N8.86	17.14.N9.86	/02	379-389	
HO.X-4	SC38	97-99	9932.0230.K						
HO.X-4	SC38	00>	9932.0230.L						
<b>KAWASAKI</b>									
KAW.ER-5	ER500	97>	9932.0074.B						
KAW.ER-6N / ER-6F	ER650AA	05>	9602.0007.B	17.17.7A.63		17.17.9A.63	np	288-298	290
KAW.ER-6N / ER-6F LOW	ER650AA	05>	9602.0007.B	17.17.7A.64		17.17.9A.64	np	265-275	290
KAW.GPX 600 R Warbird	ZX600C	88>	9932.0065.B						
KAW.GPX 750 R	ZX750F	87>	9932.0074.D						
KAW.GPZ 500 S	EX500A	87-93	9932.0046.A			17.17.H9.03		309-319	
KAW.GPZ 550	ZX550A	81-83	9932.0212.C			17.17.B9.04		306-316	
KAW.GPZ 550	ZX550A	84>	9932.0019.B			17.17.C9.05		322	
KAW.GPZ 600 R Ninja	ZX600A	85>	9932.0065.A						
KAW.GPZ 750 Turbo	ZX750E	83>	9932.0037.A		17.17.D8.06	17.17.D9.06		306-316	
KAW.GPZ 900 RZ Ninja (D=38 mm)	ZX900A	84-86	9932.0056.A		17.17.E8.09	17.17.E9.09		313-323	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

KAW.GPZ 900 R Ninja		84-89	9932.0055.C						
KAW.GPZ 900 RX Ninja (D=38 mm)	ZX900A	87-89	9932.0056.A		17.17.G8.07	17.17.G9.07	/02	313-323	
KAW.GPZ 900 R (D=41 mm)	ZX900A	90>	9932.0129.B		17.17.G8.07	17.17.G9.07	/02	313-323	
KAW.GPZ 1000 RX	ZXT00A	86>	9932.0091.A		17.17.G8.01	17.17.G9.01		313-323	
KAW.GPZ 1100 (ZX1100B1/ D34 mm)	KZT10B	82	9932.0046.E						
KAW.GPZ 1100 (ZX1100B2)	KZT10B	83	9932.0055.J						
KAW.GPZ 1100 (Uni Track/D=32 mm)	KZT10B	83>	9932.0017.A		17.17.D8.02	17.17.D9.02		306-316	
KAW.GPZ 1100	ZX10TE	95>	9932.0201.C						
KAW.GTR 1000	ZGT00A	89>	9932.0093.B						
KAW.GTR 1400		07>	in progress			in progress			
KAW.KLE 500	LE500A	92>	9932.0220.I			17.17.M9.10		379-389	
KAW.KLR 250 R	KL250D	84>	9932.0059.A						
KAW.KLR 600 /E	KL600A/B	84>	9932.0061.A						
KAW.KLR 650 / Tengai	KL650A/B	87-94	9932.0061.B		17.17.H8.14	17.17.H9.14		400-410	
KAW.KLR 650	KL650C	95>				17.17.P9.13		397-407	
KAW.KLX 650 C	LX650C	92>	9932.0206.A		17.17.N8.16	17.17.N9.16		446-456	
KAW.KLX 650 R	LX650A	92>	9932.0214.A	17.17.N7.18		17.17.N9.18		421-431	
KAW.KR-1S	KR250C2	90>	9932.0211.B						
KAW.KZ 1300 (6 Cyl.) TS#	KZT00A	79>	9932.0096.B						
KAW.Versys		07>	in progress			in progress			
KAW.VN 800		95>	9932.0118.C						
KAW.VN 1500 Vulcan	VNT50A	87	9932.0220.F						
KAW.VN 1500 Vulcan	VNT50B/C/D	88>	9932.0117.B						
KAW.VN 1500	JKBVNAA	87-95	9932.0220.I						
KAW.W 650	J650A	99>	9932.0162.E						
KAW.Z 650 B	KZ650B/C	77-79	9932.0010.A						
KAW.Z 650 B	KZ650F	81>	9932.0212.F						
KAW.Z 750	KZ750	83<	9932.0007.B						
KAW.Z 750 (Japan)		83<	9932.0209.A						

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

KAW.Z 750		84>	9932.0212.G						
KAW.Z 750 (Japan)		84>	9932.0212.A						
KAW.Z 750	ZR750J	04>	9932.0307.A	17.17.Y7.62		17.17.Y9.62	/02	330-340	
KAW.Z 750		07>	in progress			in progress			
KAW.Z 1000 A1	TS# KZT00A	78>	9932.0008.C	17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 A2/Z-1 R	TS# KZT00A	78>	9932.0013.D	17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 J	TS# KZT00J	81>	9932.0046.B	17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 LTD	TS# KZT00K	81>		17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 MK2	TS# KZT00A	79>	9932.0013.E	17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 R (Lawson)	TS# KZT00R	82>	9932.0055.F	17.17.H7.21		17.17.H9.21		350-360	
KAW.Z 1000 ST	KZT00E	79>	9932.0092.C						
KAW.Z 1000	ZRT00	03>	9932.0294.A	17.17.X7.22		17.17.X9.22	/02	334-344	
KAW.Z 1000		07>	in progress			in progress			
KAW.Z 1300	KZT30A/	79>	9932.0092.D						
KAW.ZG 1200 Voyager USA		87	9932.0091.D						
KAW.ZEPHYR 400 (Japan)	ZRX400C	91>	9932.0235.A						
KAW.ZEPHYR 550	TS# ZR550B	92>	9932.0091.C	17.17.L7.26		17.17.L9.26		350-360	
KAW.ZEPHYR 750	TS# ZR750C/D	91>	9932.0120.A	17.17.L7.26		17.17.L9.26		350-360	
KAW.ZEPHYR 1100	TS# ZRT10A	92>	9932.0145.B	17.17.M7.24		17.17.M9.24		348	
KAW.ZL 600	ZL600A	85-87	9932.0055.A						
KAW.ZL 900 / 1000 Eliminator		85>	9932.0055.M						
KAW.ZR-7	ZR750FF	99>	9932.0263.A		17.17.T8.28	17.17.T9.28	/02	317-327	
KAW.ZRX 400	TS# ZRX400E	94>	9932.0211.A	17.17.O7.32		17.17.O9.32		363-373	
KAW.ZRX 1100	TS# ZRT10C	97-00	9932.0199.B	17.17.R7.30		17.17.R9.30		357-367	
KAW.ZRX 1200	TS# ZRT20	01>	9932.0199.C	17.17.R7.30		17.17.R9.30		357-367	360
KAW.ZX-10	ZXT00B	88>	9932.0113.B		17.17.I8.33	17.17.I9.33	/02	309-319	
KAW.ZX-6R Ninja	ZX600F	95-97	9932.0225.A		17.17.P8.37	17.17.P9.37	/02	320-330	
KAW.ZX-6R Ninja	ZX600	98-99		17.17.S7.39		17.17.S9.39	/02	336-346	
KAW.ZX-6R Ninja	ZX600JJ	00>	9932.0274.B	17.17.U7.38		17.17.U9.38	/02	336-346	
KAW.ZX-6RR	ZX636B	03-04	9932.0295.A	17.17.X7.40		17.17.X9.40		330-340	340
KAW.ZX-6RR		05>	9932.0199.E	17.17.7A.60		17.17.9A.60	/02		

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
KAW.ZX-7 R Ninja	ZX750P	96>	9932.0249.A		17.17.Q8.41	17.17.Q9.41		351-361	
KAW.ZX-7 RR Ninja	ZX750N	96>	9932.0147.A		17.17.Q8.41	17.17.Q9.41		351-361	
KAW.ZX-9R Ninja	ZX900B	94-95	9932.0208.A		17.17.O8.42	17.17.O9.42		348-358	
KAW.ZX-9R Ninja	ZX900B	96-97	9932.0208.B		17.17.P8.44	17.17.P9.44		349-359	
KAW.ZX-9R Ninja	ZX900C1	98-99	9932.0253.A	17.17.S7.46		17.17.S9.46		329-339	
KAW.ZX-9R Ninja	ZX900EE	00-03	9932.0274.A	17.17.U7.45		17.17.U9.45		336-346	
KAW.ZX-10R	ZXT00C	04>05<	9932.0302.A	17.17.Y7.61		17.17.Y9.61	/02	328-338	
KAW.ZX-10R Comp'05		06>	Range	15.17.7B.17/03					
KAW.ZX-12 R	ZXT20A	00-01	9932.0266.A	17.17.U7.34		17.17.U9.34		337-347	
KAW.ZX-12 R		02>	9932.0266.B	17.17.W7.35		17.17.W9.35		337-347	
KAW.ZXR 400	ZX400L	91>	9932.0126.D		17.17.L8.47	17.17.L9.47		322-332	
KAW.ZXR 750	ZX750H1	89	9932.0230.D						
KAW.ZXR 750	ZX750H2	90	9932.0230.D						
KAW.ZXR 750 (UPSD 43 mm)	ZX750J	91-92	9932.0147.A		17.17.L8.49	17.17.L9.49		346-356	
KAW.ZXR 750 (UPSD 41 mm)	ZX750L	93-95	9932.0125.B		17.17.L8.49	17.17.L9.49		346-356	
KAW.ZXR 750 RR (UPSD 41 mm)	ZX750K/M	91-95	9932.0125.A		17.17.N8.50	17.17.N9.50		344-354	
KAW.ZZ-R 600	ZX600D	90-92	9932.0128.A		17.17.K8.57	17.17.K9.57		366-376	
KAW.ZZ-R 600	ZX600E	93>	9602.0007.A		17.17.N8.58	17.17.N9.58	/02	366-376	
KAW.ZZ-R 1100	ZXT10C	90-92	9932.0230.H		17.17.K8.51	17.17.K9.51	/02	313-323	
KAW.ZZ-R 1100	ZXT10C	90-92	9931.0012.A		17.17.K8.51	17.17.K9.51	/02	313-323	
KAW.ZZ-R 1100	ZXT10D	93-01	9931.0016.A		17.17.N8.53	17.17.N9.53	/02	339-349	
KAW.ZZ-R 1100	ZXT10D	93-01	9932.0199.A		17.17.N8.53	17.17.N9.53	/02	339-349	
KAW.ZZ-R 1200	ZXT20C	02>	9932.0291.A		17.17.W8.55	17.17.W9.55	/02	337-347	338
MOTO GUZZI									

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
MOTO GUZZI T1-3	VD		9932.0153.A						
MOTO GUZZI T4, SP, Le Mans 2/3	VD/VG/VE/VF		9932.0153.B						
MOTO GUZZI T5, Le Mans 4/5	VR/VV		9932.0153.F						
MOTO GUZZI 1000 SP ½	VH		9932.0153.G						
MOTO GUZZI California II	VT		9932.0153.C						
MOTO GUZZI California III	VW	88->	9932.0153.E						
MOTO GUZZI V1000 /G5/LM5			9932.0153.D						
MOTO GUZZI 1100 SPORT / DAYTONA	KE/KL	94-95	9932.0163.B						
MOTO GUZZI Quota 1000 (450 mm)	KM		9932.0130.I						
<b>MZ / MuZ</b>									
MZ ETZ 250	ETZ250	83-92	9932.0013.G						
MuZ SKORPION 660	MUZ660	94->	9932.0137.C						
<b>SUZUKI</b>									
SUZ.AN 400 BURGMAN	AU	98->	9931.0038.A		17.23.S8.03	17.23.S9.03		339-349	
SUZ.DL 650 V-STROM	WVB1	04->	9932.0260.D	17.23.Y7.69		17.23.Y9.69	/02	336-346	340
SUZ.DL 650 V-STROM	WVB1	04->		17.23.Y7.70		17.23.Y9.70	/02	317-327	340
SUZ.DL 1000 V-STORM	BS	02->	9932.0260.B	17.23.W7.05		17.23.W9.05	/02	341-351	
SUZ.DR 350 S	SK42B	89-94	9932.0150.A		17.23.K8.07	17.23.K9.07		437-447	
SUZ.DR 350 S	SK42B	95->	9932.0150.A		17.23.P8.09	17.23.P9.09		437-447	
SUZ.DR 650 R/RS	SP41/42/43B	90-92	9932.0183.B			17.23.K9.10		383-393	
SUZ.DR 650 R/SE	SP43/44/45B	93-95	9932.0183.A			17.23.K9.10		383-393	
SUZ.DR 650 SE	SP46B	96->			17.23.Q8.11	17.23.Q9.11		354-364	
SUZ.DR 750 S	SR41B	88-90	9932.0161.A		17.23.18.13	17.23.19.13		409-419	
SUZ.DR 800 S	SR42B	90	9932.0161.A		17.23.18.13	17.23.19.13	/02	409-419	
SUZ.DR 800 S BIG	SR43B	91->	9932.0167.B		17.23.18.13	17.23.19.13	/02	409-419	
SUZ.GS 550 E	GS550AB	78-79	9932.0011.A						
SUZ.GS 650 G Katana	GS650G	81->	9932.0008.D						
SUZ.GS 750	GS750	78->	9932.0209.B			17.23.A9.67		327-337	
SUZ.GS 1000 E/S/H/L	GS1000	79-82	9932.0020.A			17.23.A9.67		327-337	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
SUZ.GS 1100 L/G TS#	GS1100	81>	9932.0212.B			17.23.A9.67		327-337	
SUZ.GSF 400 Bandit	GK75B	89>	9602.0005.A		17.23.L8.16	17.23.L9.16		305-315	
SUZ.GSF 600 Bandit	GN77B	95-99	9932.0229.A		17.23.P8.18	17.23.P9.18	/02	298-308	
SUZ.GSF 600 / S Bandit	WVA8	00>	9602.0020.B		17.23.U8.20	17.23.U9.20	/02	313-322	
SUZ.GSF 1200 Bandit	GV75A	96-00	9932.0230.B		17.23.P8.14	17.23.P9.14	/02	304-314	
SUZ.GSF 1200 / S Bandit	WVA9	01>	9932.0289.A		17.23.V8.01	17.23.V9.01	/02	318-328	
SUZ.GSR 600	1B91	06>	9932.0286.B	17.23.7B.72		17.23.9B.72	/02	335-345	338
SUZ.GSX 400 E/F	GS40X/F	80>	9932.0003.B						
SUZ.GSX 400 Impulse TS#	GK79A	94>		17.23.O7.28		17.23.O9.28		316	
SUZ.GSX 400 S Katana TS#		92>	9932.0171.A	17.23.M7.29		17.23.M9.29		358	
SUZ.GSX 600 F/Katana	GN72B	88-90	9932.0136.A		17.23.I8.31	17.23.I9.31	/02	298-308	
SUZ.GSX 600 F	GN72B	91-97	9932.0126.B		17.23.I8.31	17.23.I9.31	/02	298-308	
SUZ.GSX 600 F	AJ31	98>	9932.0257.B		17.23.S8.30	17.23.S9.30		298-308	
SUZ.GSX 750 TS#		00>	9932.0238.B	17.23.U7.25		17.23.U9.25		323	
SUZ.GSX 750 S Katana TS#	GR71A	79>		17.23.H7.35		17.23.H9.35		333-343	
SUZ.GSX 750 E	GS75X	80	9932.0003.F						
SUZ.GSX 750 F	GR78A	89-97	9932.0244.B			17.23.J9.33		297-307	
SUZ.GSX 750 F	AK11	98>	9932.0257.A		17.23.S8.34	17.23.S9.34		295-305	
SUZ.GSX 1100 F/Katana	GV72C	88	9932.0117.A			17.23.I9.22	/02	342-353	
SUZ.GSX 1100 F	GV72C	89-93	9932.0112.B			17.23.I9.22	/02	342-353	
SUZ.GSX 1100 F	GV72C	94>	9932.0231.A			17.23.I9.22	/02	342-353	
SUZ.GSX 1100 G	GV74A	91>	9932.0143.B		17.23.K8.23	17.23.K9.23		298-308	
SUZ.GSX 1100 S Katana TS#	GS1100X	80-85	9932.0032.A						
SUZ.GSX 1200 TS#	IA31	00>	9932.0238.B	17.23.U7.25		17.23.U9.25		323	
SUZ.GSX 1300 R Hayabusa	A11	99>	9932.0264.A	17.23.T7.26		17.23.T9.26	/02	324-334	328
SUZ.GSX 1400 TS#	WVBN	02>	9932.0290.A	17.23.W7.27		17.23.W9.27		330-340	
SUZ.GSX-R 400		91>	9602.0003.A						
SUZ.GSX-R 600 V	AD	97-00	9932.0258.A		17.23.R8.44	17.23.R9.44	/02	348-358	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

SUZ.GSX-R 600 V Comp	AD	97-99	9931.0019.A						
SUZ.GSX-R 600	BG	01-03		17.23.V7.43		17.23.V9.43	/02	326-336	
SUZ.GSX-R 600/750	WVB2/B3	04>05<	9932.0303.A	17.23.Y7.64		17.23.Y9.64		327-337	
SUZ.GSX-R 600/750	CE11/CF11	06>	9932.0254.D	17.23.7B.71		17.23.9B.71	/02	314-324	316
SUZ.GSX-R 750 F	GR75A	85-87	9932.0112.A		17.23.F8.47	17.23.F9.47		294	
SUZ.GSX-R 750 J	GR77B	88-89	9932.0143.A		17.23.I8.48	17.23.I9.48		306-316	
SUZ.GSX-R 750 L (41 mm UPSD)	GR7AB/BB	90-93	9932.0229.B		17.23.K8.49	17.23.K9.49	/02	313-323	
SUZ.GSX-R 750 W (43 mm UPSD)	GR7BB	94-95	9932.0207.A		17.23.K8.49	17.23.K9.49	/02	313-323	
SUZ.GSX-R 750 T (43 mm UPSD)	GR7DB	96-99	9932.0232.A	17.23.Q7.51	17.23.Q8.51	17.23.Q9.51	/02	352-362	
SUZ.GSX-R 750 T RACE	GR7DB	96-99	9932.0234.A						
SUZ.GSX-R 750	BD	00-03	9932.0267.A	17.23.U7.45		17.23.U9.45	/02	326-336	
SUZ.GSX-R 1000	WVBL	01-02	9932.0287.A	17.23.V7.36		17.23.V9.36	/02	331-341	
SUZ.GSX-R 1000	WVBZ	03-04	9932.0298.A	17.23.V7.36		17.23.V9.36	/02	331-341	
SUZ.GSX-R 1000		05>	9932.0298.A	17.23.7A.65		17.23.9A.65	/02	321-331	
SUZ.GSX-R 1100 G		86-88			17.23.G8.37	17.23.G9.37	/02	316-326	
SUZ.GSX-R 1100 K (43 mm)	GV73C	89	9932.0143.D		17.23.J8.39	17.23.J9.39		314-324	
SUZ.GSX-R 1100 L (41 mm UPSD)	GV73C	90-92	9602.0008.A		17.23.K8.41	17.23.K9.41	/02	314-324	
SUZ.GSX-R 1100 W	GU75C	93-94	9932.0182.A		17.23.P8.42	17.23.P9.42	/02	314-324	
SUZ.GSX-R 1100 W	GU75C	95>	9932.0227.A		17.23.P8.42	17.23.P9.42	/02	314-324	
SUZ.LS 650 Savage	NP41B	91>	9932.0092.B						
SUZ.RF 600 R	GN76B	93>	9932.0187.D						
SUZ.RF 600 R Comp	GN76B	93>	9932.0187.E						
SUZ.RF 900 R	GT73B	94-95	9932.0249.B						
SUZ.RG 500 RF Gamma	HM31A	85>	9932.0090.B			17.23.F9.53		317-327	
SUZ.RGV 250 Gamma	VJ21A	89-90	9932.0139.C						
SUZ.RGV 250 Gamma	VJ22B	91	9932.0126.E		17.23.N8.54	17.23.N9.54		307-317	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

SUZ.RGV 250 Gamma	VJ22B	92>	9932.0187.B		17.23.N8.54	17.23.N9.54		307-317	
SUZ.SV 650 (S)	AV	99-02	9932.0261.A		17.23.T8.56	17.23.T9.56		337-347	
SUZ.SV 650 (S)		03>	9932.0231.A	17.23.Y7.63		17.23.Y9.63		331-341	
SUZ.SV 1000	BX	03>	9932.0245.C		17.23.X8.62	17.23.X9.62	/02	328-338	330
SUZ.TL 1000 S	AG	97>	9932.0269.B		17.23.R8.59 +Level parts	17.23.R9.59 +Level parts		247	
SUZ.TL 1000 R	AM	98>	9932.0269.A		17.23.T8.58 +Level parts	17.23.T9.58 +Level parts		255	240
SUZ.VS 600 GL Intruder	VN51B	95>	9932.0162.D						
SUZ.VS 750 GL Intruder	VR51BD	85>	9932.0162.B						
SUZ.VS 800 GL Intruder	VS52B	92>	9932.0162.B						
SUZ.VS 1400 GL Intruder TS#	VX51L	87>	9932.0097.B						
SUZ.VS 1500 Intruder LC TS#			9932.0117.C						
SUZ.VX 800	VS51B	90>	9932.0162.C						
SUZ.XF 650 Freewind	AC	97>	9932.0255.A		17.23.R8.60	17.23.R9.60		338-348	
<b>TRIUMPH</b>									
TRIUMPH Daytona 900/1200	T300D	91>	9932.0230.E		17.28.O8.02	17.28.O9.02			
TRIUMPH Daytona Super IIII	TC310	94>	9932.0230.F		17.28.O8.02	17.28.O9.02			
TRIUMPH Daytona T595	T595	97-00	9932.0245.A		17.28.R8.03	17.28.R9.03		369-379	
TRIUMPH Daytona 675	TMD1	06>	9932.0306.A		17.28.7B.23	17.28.9B.23	/02	290-300	294
TRIUMPH Speed Triple	T300B/C	94>	9932.0230.G		17.28.O8.02	17.28.O9.02			
TRIUMPH Speed Triple T509	T509	97>	9932.0245.B		17.28.R8.05	17.28.R9.05		369-379	
TRIUMPH Speed Triple 955i		97>04<	9932.0245.D						
TRIUMPH Speed Triple (1050)	515 NJ	05>06<	9932.0313.A	17.28.7A.24		17.28.9A.24	/02	370-380	371
TRIUMPH Speed Triple (1050)		07>	in progress			in progress			
TRIUMPH Sprint 900	T300A	95>	9932.0130.J		17.28.O8.02	17.28.O9.02			
TRIUMPH Sprint RS	TF605	00>	9932.0275.A		17.28.U8.06	17.28.U9.06	/02	363-373	
TRIUMPH Sprint ST	TF600	99>	9932.0259.B		17.28.T8.08	17.28.T9.08	/02	351	
TRIUMPH Thruxton 900 TS#		04>		17.28.P7.22		17.28.P9.22		372-382	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
TRIUMPH Thunderbird	T309RT	95>	9932.0130.E		17.28.P8.14	17.28.P9.14	/02	337-347	
TRIUMPH Thunderbird Sport		99>			17.28.T8.13	17.28.T9.13		346-356	
TRIUMPH Tiger	T400	93-98	9932.0146.B		17.28.M8.16	17.28.M9.16		363-373	
TRIUMPH Tiger 900	TTG7	99-00	9932.0277.A						
TRIUMPH Tiger 955i	T572	01>04<	9932.0278.A						
TRIUMPH Trident 750/900	T300	92>	9932.0130.B		17.28.O8.02	17.28.O9.02			
TRIUMPH Trophy 900	T300E	92>	9932.0130.C		17.28.O8.02	17.28.O9.02			
TRIUMPH TT 600	TH800	00>	9932.0281.A		17.28.U8.21	17.28.U9.21	/02	313-323	
TRIUMPH Trophy 1200	T300E	92>	9932.0230.I		17.28.O8.02	17.28.O9.02			
<b>YAMAHA</b>									
YAM.BT 1100 Bulldog	RP05	01>	9932.0143.E						
YAM.FJ 1100	47 <sup>E</sup>	84-87	9932.0106.B			17.27.F9.04	/02	288-298	
YAM.FJ 1200	1XJ	85-87	9932.0106.C			17.27.F9.04	/02	288-298	
YAM.FJ 1200	3CW	88-90	9932.0106.D		17.27.J8.05	17.27.J9.05	/02	286-296	
YAM.FJ 1200	3YA/3XW	91>	9932.0105.B		17.27.L8.07	17.27.L9.07	/02	301-311	
YAM.FJR 1300	3YARP	01>	9932.0273.A	17.27.V7.09		17.27.V9.09	/02	323-333	
YAM.FJR 1300 ABS		03>	9932.0273.A	17.27.X7.77		17.27.X9.77	/02	323-333	
YAM.FZ 1 / FZ 1 FAZER	RN16	06>	9932.0287.B	17.27.7B.92		17.27.9B.92	/02	317-327	319
YAM.FZ 6	RJ07	04>	9932.0295.B		17.27.Y8.78	17.27.Y9.78	/02	301-311	
YAM.FZ 6 Fazer	RJ07	04>	9932.0295.B		17.27.Y8.78	17.27.Y9.78	/02	301-311	
YAM FZ 6 Fazer S2		07>	in progress			in progress			
YAM.FZ 750	1FN	85-86	9932.0092.A			17.27.F9.11		291-301	
YAM.FZ 750 GEN	2KK	87>	9932.0093.A			17.27.H9.12		301-311	
YAM.FZR 400/600 GEN	3RH/RG/HE	88-90	9932.0093.C						
YAM.FZR 600 GEN	3HHEO	91-93	9932.0093.C			17.27.L9.17		298-308	
YAM.FZR 1000 GEN	2LA	86-88	9932.0220.D						
YAM.FZR 600 R	4MH/JH	94	9932.0202.A			17.27.O9.18		365-374	
YAM.FZR 600 R	4MH/JH	95>	9932.0139.B			17.27.O9.18		365-374	
YAM.FZR 750 R (OW01)	3PJ	89-92	9932.0220.E						

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
YAM.FZR 1000 EXUP	3LE	89-90	9932.0145.A		17.27.L8.13	17.27.L9.13	/02	341-351	
YAM.FZR 1000 EXUP	3LE	91-93	9932.0163.A		17.27.L8.13	17.27.L9.13	/02	341-351	
YAM.FZR 1000 EXUP	3LE	94>	9932.0226.A		17.27.L8.13	17.27.L9.13	/02	341-351	
YAM.FZR 1000 GEN	2LA	86-88	9932.0116.C		17.27.H8.15	17.27.H9.15		301-311	
YAM.FZS 600 FAZER	RJ	98>03<	9932.0250.B		17.27.S8.22	17.27.S9.22		304-314	
YAM.FZS 600 S FAZER	RJ	00>03<	9932.0250.C		17.27.S8.22	17.27.S9.22		304-314	
YAM.FZS 1000 S FAZER / GT	RN061	01>05<	9932.0271.A	17.27.V7.19		17.27.V9.19	/02	303-313	
YAM.FZX 750 FAZER TS#	2JE	86>	9932.0055.H						
YAM.MT-03	RM021	06>		17.27.7B.91		17.27.9B.91	/02	358-368	362
YAM.R1-Z		90>	9932.0090.D						
YAM.RADIAN 600		86>	9932.0055.D						
YAM.RD 250/350 LC	4L1/4L0	80-82	9932.0003.C		17.27.A8.25	17.27.A9.25		317-327	
YAM.RD 250/350 YPVS	31K	83-85	9932.0020.B						
YAM.RD 500 LC	47X/1GE	84>	9932.0055.E		17.25.E8.27	17.25.E9.27		288-298	
YAM.SR 400 TS#	2J2	77>	9932.0006.A	17.27.B7.28		17.27.B9.28		318-328	
YAM.SR 500 TS#	48T	78>	9932.0006.A	17.27.B7.28		17.27.B9.28		318-328	
YAM.SRX 400 TS#		85-89	9932.0048.A	17.27.G7.31		17.27.G9.31		299	
YAM.SRX 400		90>	9932.0087.A		17.27.K8.32	17.27.K9.32		292-302	
YAM.SRX 600 TS#	1XM/XL	85-89	9932.0048.B	17.27.G7.31		17.27.G9.31		299	
YAM.SRX 600		90>	9932.0087.B		17.27.K8.32	17.27.K9.32		292-302	
YAM.SZR 660 (4SU)	4SU	96>	9932.0243.A		17.27.Q8.34	17.27.Q9.34		314-324	
YAM.TDM 850	3VD/4CM	91-95	9932.0128.B	17.27.L7.36		17.27.L9.36		308-318	
YAM.TDM 850	4TX	96>	9932.0241.A	17.27.Q7.38		17.27.Q9.38		308-318	
YAM.TDM 900	JYARN	02>03<	9932.0283.A	17.27.W7.40		17.27.W9.40	/02	324-334	
YAM.TDM 900 (also ABS)	JYARN	04>	9932.0283.B	17.27.W7.40		17.27.W9.40	/02	324-334	
YAM.TDR 250	3CK	88>	9932.0089.A						
YAM.TRX 850	4UN	96>	9602.0020.A		17.27.P8.42	17.27.P9.42	/02	351-361	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

YAM.TT 350		86-93	9931.0008.A						
YAM.TT 600	4LW	85-89	9931.0010.A						
YAM.TT 600 ADJ.L.		93-97	9932.0218.A		17.27.N8.44	17.27.N9.44		395-405	
YAM.TT 600 R		98>	9932.0268.A		17.27.S8.45	17.27.S9.45		399-409	
YAM.TR-1 1000 81>		81>				17.27.D9.81		378-383	
YAM.TZR 250	2MA	85-87	9932.0101.A						
YAM.TZR 250	2MA	88>	9932.0101.A		17.27.I8.46	17.27.I9.46		268-278	
YAM.V-MAX 1200 TS#	2 <sup>E</sup> N	86-92	9932.0204.A	17.27.G7.47		17.27.G9.47		329-339	
YAM.V-MAX 1200 TS#	2 <sup>E</sup> N/2WE	93>	9932.0143.C	17.27.G7.47		17.27.G9.47		329-339	
YAM.XJ 550	4V8	81>	9932.0037.B						
YAM.XJ 600	51J/3KN/KM	84>	9932.0055.B						
YAM.XJ 600 S Diversion	4LX/4BR	91-97	9932.0090.C			17.27.S9.49		273-283	
YAM.XJ 600 S Diversion (D=41)	RJ01	98>	9932.0252.B			17.27.S9.49		273-283	
YAM.XJ 650 TS#	4KO	80>	9932.0023.C						
YAM.XJ 650 Maxim			9932.0020.D						
YAM.XJ 750/F (41Y)	41Y	84>	9932.0055.G						
YAM.XJ 750 Maxim		85	9932.0055.O						
YAM.XJ 750/R	11M	82-83	9932.0048.E						
YAM.XJ 900 (ANTIDIVE)	31A	83-84	9932.0013.F						
YAM.XJ 900 F (NO ANTIDIVE)	58L	85>	9932.0046.F						
YAM.XJ 900 S DIVERSION	4KM	95	9932.0220.A		17.27.P8.50	17.27.P9.50	/02	303-313	
YAM.XJ 900 S DIVERSION	4KM	96>	9932.0220.H		17.27.Q8.52	17.27.Q9.52	/02	303-313	
YAM.XJR 400 TS#		93>	9932.0196.A	17.27.N7.55		17.27.N9.55		320	
YAM.XJR 400 R TS#		95>	9932.0136.B						
YAM.XJR 1200 TS#	4PU	94-98	9932.0292.B	17.27.O7.53		17.27.O9.53		330-340	
YAM.XJR 1200 SP TS#	4PU	96>	9932.0230.J	17.27.O7.53		17.27.O9.53		330-340	
YAM.XJR 1200 SP (K.R. Replica) TS#	4PU	97-98	9932.0262.A	17.27.O7.53		17.27.O9.53		330-340	
YAM.XJR 1300 TS#	RP02	99-01	9932.0297.C	17.27.O7.53		17.27.O9.53		330-340	
YAM.XJR 1300 / SP TS#	RP06	02>	9932.0297.A	17.27.V7.77		17.27.V9.77		323-333	
YAM.XJR 1300 / SP TS#	RP10	04>							

**Federbeine & Gabelfedern  
>2007**



**CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS**

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

YAM.XS 650 /SE	447/3L1	77>	9932.0006.C						
YAM.XS 750 (1T5)	1T5	79>	9932.0032.B						
YAM.XS 400 SE	4G5	80-81	9932.0003.E						
YAM.XS 1100 TS#	2H9	78-80	9932.0212.E						
YAM.XT 350	1WM/55V/3YT	85>	9932.0060.A						
YAM.XT 500 TS#	1U6	76>	9931.0002.A			17.27.C9.86		367-377	
YAM.XT 550	5Y3	82>	9931.0004.A						
YAM.XT 600	43F	84>				17.27.D9.56		394-404	
YAM.XT 600 E/K	3TB/UW	90-99	9932.0149.A		17.27.K8.57	17.27.K9.57		277-287	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
YAM.XT 600 E	AD	00>	9932.0149.A			17.27.K9.57		277-287	
YAM.XT 600 / XT 600 TEN.	34L/55W	84-85	9931.0007.A			17.27.D9.59	/02	395-405	
YAM.XT 600 Z/TENERE	1VJ	85-87	9932.0122.A						
YAM.XT 600 Z/TENERE	3AJ	88>	9932.0133.A			17.27.D9.59	/02	395-405	
YAM.XTZ 660	4MD/3YF	91-94	9932.0167.A		17.27.L8.60	17.27.L9.60		321-331	
YAM.XT 660 R		04>	9932.0167.D			17.27.Y9.82		337-347	
YAM.XT 660 X		04>	9932.0310.A			17.27.Y9.82		337-347	
YAM.XTZ 750 SUPER TENERE	3LD/WM	89>	9932.0146.A		17.27.I8.62	17.27.I9.62		455-465	
YAM.XV 1100 VIRAGO	JYA1TE	86>	9932.0048.C						
YAM.XV 535	2YL/3BR	89>	9932.0020.C						
YAM.XV 750	5G5	81	9932.0175.B						
YAM.XV 920	2GH	84>	9932.0023.D						
YAM.XVF 1100 Dragstar		99>	9932.0126.I						
YAM.XVZ 1200 Venture			9932.0192.D						
YAM.XVZ 1300 Royal			9932.0192.D						
YAM.YZF 1000 R TH.ACE	4VD/4SV	96>	9932.0247.A		17.27.Q8.64	17.27.Q9.64		341-351	
YAM.YZF 600 THUNDERCAT	4TV/WD	96>	9932.0243.B		17.27.Q8.69	17.27.Q9.69		360-370	
YAM.YZF 600 R6	RJ031	99-00	9932.0254.B	17.27.T7.73		17.27.T9.73	/02	292-302	
YAM.YZF 600 R6	RJ031	01-02	9932.0293.A	17.27.U7.71		17.27.U9.71		300-310	
YAM.YZF 600 R6	RJ051	03-04	9932.0293.A	17.27.X7.72		17.27.X9.72	/02	292-302	
YAM.YZF 600 R6		05	9932.0304.A	17.27.7A.80		17.27.9A.80	/02	292-302	
YAM.YZF 600 R6	RJ11	06>		17.27.7B.88		17.27.9B.88	/02	289-299	290
YAM.YZF 750 R	4HN	93>	9602.0006.B		17.27.N8.75	17.27.N9.75		340-350	
YAM.YZF 750 SP R-LINK	4HT	93>	9602.0006.B		17.27.N8.76	17.27.N9.76		340-350	
YAM.YZF 1000 R1	RN01	98-99	9932.0254.A	17.27.S7.68		17.27.S9.68		298-308	
YAM.YZF 1000 R1	RN04	00-01	9932.0254.C	17.27.U7.66		17.27.U9.66		295-305	
YAM.YZF 1000 R1	RN09	02-03	9932.0288.A	17.27.W7.67		17.27.W9.67		296-306	
YAM.YZF 1000 R1	RN12	04>	9932.0306.B	17.27.Y7.79		17.27.Y9.79		298-308	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

# Quads & ATV > 2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
<b>ARTIC CAT</b>									
ARTIC CAT DVX 250/300 FRONT TS#		05>		17.99.7A.15		17.99.9A.15	no	358-368	362
ARTIC CAT DVX 250/300 REAR		05>			17.99.8A.16	17.99.9A.16	no	376-386	381
<b>HONDA</b>									
HO.4 TRAX 250-R (FRONT)(USA) TS#		86>		17.14.G7.01				403	
HO.4 TRAX 250-R (REAR) (USA)		88>			17.14.I8.02			408-418	
HO.4-TRAX TS#		86-89		17.14.G7.03				403	
HO.TRX 400 EX		99>			17.14.T8.56			391-401	
HO.TRX 400 EX FRONT		99>		17.14.T7.55				410-420	
<b>KYMCO</b>									
KYMCO MXU 250/300 FRONT TS#		05>		17.99.7A.15		17.99.9A.15	no	358-368	362
KYMCO MXU 250/300 REAR		05>			17.99.8A.16	17.99.9A.16	no	376-386	381
KYMCO KXR 250/300 FRONT TS#		05>		17.99.7A.15		17.99.9A.15	no	358-368	362
KYMCO KXR 250/300 REAR		05>			17.99.8A.16	17.99.9A.16	no	376-386	381
KYMCO MAXXER 300 FRONT TS#		05>		17.99.7A.15		17.99.9A.15	no	358-368	362
KYMCO MAXXER 300 REAR		05>			17.99.8A.16	17.99.9A.16	no	376-386	381
<b>YAMAHA</b>									
YAM.BANS.350 (FRONT) TS#		91>		17.27.L7.01				370	
YAM.BANSHEE 350 (REAR)		87>		17.27.H7.02				345	
YAM.RAPTOR 660 (REAR)		01>			17.27.V8.23			365	
YAM.RAPTOR 660 (FRONT) TS#		01>		17.27.V7.24				400	

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	-----------------	------	--------	----------	----	--------------------------	--------------------------------

## Race Comp 2007



## RECOMMENDATION LIST OF WP SUSPENSION COMP PRODUCTS

Type of bike	Code	ModelYear	Spring Range	Spin	4618	PA	Closed Cartridge set	Length WP shock absorber
<b>BMW</b>								
BMW R1200 S (REAR) Comp	WB103	2007	Not Available	15.06.7C.01		/02	Not available	355-365
<b>HONDA</b>								
HO.CBR 600 RR Comp	*	2007	Range	15.14.7C.23		/02	05.14.0C.95	*
HO.CBR 1000 RR Fireblade Comp	*	2007	Range	15.14.7B.22		/02	05.14.0B.94	*
<b>KAWASAKI</b>								
KAW.ZX-6RR Comp	*	2007	Range	15.17.7C.18		N.a.	05.17.0C.06	*
KAW.ZX-10R Comp	*	2007	Range	15.17.7B.17		/02	05.17.0B.05	*
<b>SUZUKI</b>								
SUZ.GSX-R 600 Comp	*	2007	Range	15.23.7B.15		/02	05.23.0B.06	*
SUZ.GSX-R 750 Comp	*	2007	Range	15.23.7B.16		/02	05.23.0B.06	*
SUZ.GSX-R 1000 Comp	*	2007	Range	15.23.7C.20		/02	05.23.0C.08	*
<b>TRIUMPH</b>								
TRIUMPH Daytona 675 Comp	*	2007	Not available	15.28.7B.29		/02	Not Available	*
<b>YAMAHA</b>								
YAM.YZF 600 R6 Comp	*	2007	Range	15.27.7B.11		/02	05.27.0B.03	*
YAM.YZF 1000 R1 Comp	*	2007	Range	15.27.7C.14		/02	05.27.0C.05	*

# Federbeine & Gabelfedern >2007



## CHAPTER 1. RECOMMENDATION LIST OF WP SUSPENSION PRODUCTS

Type of bike	Code	ModelYear	Pro-Line Spring	Spin	Fusion	Emulsion	PA	Length WP shock absorber	Length Original shock absorber
--------------	------	-----------	--------------------	------	--------	----------	----	--------------------------------	---

### BMW EDS kpl.

BMW type	type
BMW R1200GS 04> S	11.06.Y0.01
BMW R1150RT 01>05<	11.06.Y0.02
BMW R1150 GS 99>03<	11.06.Y0.03
BMW R1200GS Adventure 04> *	11.06.Y0.01
BMW R1150 GS Adventure 99>03<	11.06.Y0.03



\* Front of R1200GS adventure is 9mm lower then original